

BID SPECIFICATIONS  
WOOD COUNTY JUDICIAL BUILDING ACCESS CONTROL EQUIPMENT

- Purchase and install new access control equipment to provide managed access through six doors in the Holmes R. Shaver Judicial Annex
- New equipment to be installed shall be interfaced with existing Facility Commander Access Control System
- Work to include, but not be limited to:
  - Provide owner with access control cable
  - Furnish and install new 8 output power supply with battery backup in the main floor IT closet
  - Furnish and install new surface mount electric strikes on the 2<sup>nd</sup> and 3<sup>rd</sup> floor hallway doors
  - Furnish and install new recessed electric strikes on the doors to the hearing rooms located on the 2<sup>nd</sup>, 3<sup>rd</sup>, and 4<sup>th</sup> floors.
  - Furnish and install 6 new proximity readers at the doors listed above
  - Connect new proximity readers to existing Facility Commander M3000 controller located in the main floor IT closet
  - Connect new electric strikes to the new power supply located in the main floor IT closet
  - Create and add new access rights for the new readers
  - Provide onsite operational training of new equipment

A mandatory pre-bid conference will be held on Thursday, December 7, 2017 at 10:00 am at the Holmes R. Shaver Judicial Annex. Sealed and written price quotes must be delivered to the Wood County Commission no later than 9:30 am on Thursday, December 28, 2017. All bids will be opened by the Wood County Commission in Room 203 of the Courthouse at 10:30 am on December 28, 2017.

The Wood County Commission reserves the right to reject any and all bids.

The Wood County Commission is an equal opportunity employer.